



QUALITY SINGE 1919

COAST Products is a 103-year-old, family-owned company that produces LED lights, knives, and multi-tools for work, recreation, and everyday use.

COAST produces innovative, technologically advanced products backed by a 5 year warranty that makes the user's life safer, easier, and more enjoyable.

DACBUL

David C. Brands — Owner, COAST Products

COACT DIIAI DOWED TECHNOLOCIES

# 2022 / 23 PRO INDUSTRIAL

| COAST DUAL FOWER TECHNOLOGIES        | J  |
|--------------------------------------|----|
| HANDHELD TECH — OPTICS               | 6  |
| HANDHELD TECH — CONTROLS             | 7  |
| HANDHELD TECH — BUILD & MATERIALS    | 8  |
| POLYSTEEL HANDHELDS                  | 11 |
| RECHARGEABLE HANDHELDS               | 14 |
| ALKALINE HANDHELDS                   | 17 |
| HANDHELD BATTERY PACKS & ACCESSORIES | 22 |
| HANDHELD ACCESSORIES                 | 23 |
| INTRINSICALLYSAFE LIGHTS             | 24 |
| XPH RECHARGEABLE HEADLAMPS           | 28 |
| RECHARGEABLE & ALKALINE HEADLAMPS    | 30 |
| HEADI AMP TECH                       | 31 |

| RECHARGEABLE HEADLAMPS             | 32 |
|------------------------------------|----|
| ALKALINE HEADLAMPS — FRONT LOADING | 34 |
| ALKALINE HEADLAMPS — REAR LOADING  | 36 |
| HEADLAMP ACCESSORIES               | 37 |
| PORTABLE WORK LIGHTS               | 38 |
| SAFETY GEAR                        | 44 |
| AREA LIGHTS                        | 46 |
| (NIFE TEC                          | 49 |
| (NIVES                             | 51 |
| SHARPENERS                         | 53 |
| MULTI-TOOLS                        | 54 |
| MULTI-TOOL TECH                    | 55 |
| DISPLAYS & SIGNAGE                 | 59 |

# TRUSTED TOUGH."

COAST's build quality has lead to some amazing survival stories:

The flashlight that fell 9 stories down an elevator shaft. **And still worked.** 

The headlamp that spent a night in a cement mixer. **And still worked.** 

The flashlight that spent a year submerged in a Georgia swamp. **And still worked.** 



## **COAST DUAL POWER TECHNOLOGIES**

COAST is innovative with more than just beams and industrial design. We also put our collective heads together to create power sources and charging technologies that make all our lights even more useful and cost-effective. From price-conscious, yet class-leading alkaline batteries to the most advanced rechargeable systems, COAST leads the way in power.

## **ALKALINE POWER**

EXTREME PERFORMANCE

Comes with COAST Extreme Performance (EP) Alkaline batteries.



## **ALKALINE-DUAL POWER**

ZITHION:X

Comes with COAST Extreme Performance Alkaline batteries and is compatible with COAST'S ZITHION- $X^{TM}$  Rechargeable battery. (sold separately).



## **RECHARGEABLE-DUAL POWER**

ZITHION:X"

Comes with COAST'S ZITHION-X<sup>™</sup> Rechargeable battery and can be used with COAST'S Extreme Performance Alkaline batteries (not included on all lights).



## **RECHARGEABLE**

**ZITHION**\*

Comes with COAST'S embedded ZITHION™ Rechargeable battery and a USB Charging Cord.



## **RECHARGEABLE/CONTINUOUS RUN**

**ZITHION**\*\*

Comes with COAST'S embedded ZITHION™ Rechargeable battery and a USB charging cord. Can also use plug-in AC power as needed.



#### **PRO-TEK CHARGING PORT**

Charging made incredibly easy. Just slide open the PRO-TEK port on a PRO-TEK equipped COAST light to access the USB-based charging port. Plug-in to a local AC, DC, or USB power source, and recharge your light right there. COAST ZITHION-X™ rechargeable batteries also come with a USB charging port and can be charged outside the light for added versatility and time savings.



## **PRO-FLEX CHARGING CAP**

A clever charging system for certain COAST rechargeable pen lights. When the time comes to recharge, find a convenient AC, DC, or USB power source, slide the PRO-FLEX cap over the end of the light, and it's charging!



## **HANDHELD TECH - OPTICS**













## **HANDHELD TECH - CONTROLS**

#### **SLIDE FOCUS**

Spot to flood light control at your fingertips. Shape your beam with the simple push or pull of your thumb.








#### **BEAM LOCK**

Lock the beam anywhere you want it. Twist left to lock the beam in place. Twist back to the right to release.





#### TWIST FOCUS

Twist the head of the light to move between a flood and a spot beam.







#### FRONT SWITCH

#### **MULTI-SWITCH**

Easy one-handed on/off activation.



Separate power switches for different color modes.



#### QUICK-CYCLE SWITCH

Control your light power with the push of a button.

Depending on the model, COAST lights may have one of the following illumination sequences:

High | Low High | Medium | Low High | Strobe | Low High | Strobe



## **REAR SWITCH/TAIL CAP DESIGN**

Many of COAST's lights use a Quick-Cycle tail switch. A tail switch is a well-known feature in the tactical and professional markets. This allows the light to be held up-and-away from one's body while still providing light power control.

COAST's tail cap design also allows many of our lights to stand up straight for vertical lighting applications.






# HANDHELD TECH - BUILD & MATERIALS

## **PURPOSE BUILT**

COAST handheld lights are designed to provide both the internal and external functionality required to excel in their intended purposes.



WEATHERPROOF
ALUMINUM OR
STAINLESS STEEL\*
CONSTRUCTION

TAIL CAP
Ergonomic and
recessed power switch
designed to allow light
to stand upright
Anti-roll lanyard slot

BATTERY CARTRIDGE
GOLD PLATED CONTACTS





# PURE BEAM FOCUSING OPTIC

All POLYSTEEL lights include COAST's patented Pure Beam Focusing Optic systems.



# TWIST FOCUS CONTROL

Focus the POLYSTEEL beam by simply twisting the head of the light.



#### POLY-NYLON OVER STAINLESS STEEL CORE

A fiberglass-reinforced polymer covers a stainless steel core.

Not all design features are present on all lights.

\*Some COAST lights also use coating materials in their construction.









3650 Lumens | 330m Beam | IP54 |  $1 \times ZITHION-X^{\text{\tiny{IM}}}$  Rechargeable battery or 6 x AA



Medium | High | Low | Turbo 1-Handed Slide Focus

Length: 10.3" | 26.3 cm Weight: 19.4 oz. | 550 g

1 × COAST ZITHION-X<sup>™</sup> Rechargeable battery USB-C Y split charging cable



PRO-TEK CHARGING PORT

Alkaline battery cartridge ANSI FL1 (Rec) Medium High Inw Turho 420 1460 65 3650 (batteries not included) Beam Distance 206m 110m 330m Compatible with  $6 \times AA$ 6h 30min 58h 30min Runtime 9h 30min Alkaline batteries







**Battery Life Indicator** 

**RECHARGEABLE-DUAL POWER** COAST ZX960 or 6 × AA Alkaline





**XP11R** 2100 Lumens | 220m Beam | IP54 1 × ZITHION-X™ Rechargeable or 3 × AAA



Hanging Box: 100033544



**XP9R** 1000 Lumens | 225m Beam | IP54 1 × ZITHION-X™ Rechargeable or 2 × CR123



Medium | High | Low | *Turbo* 1-Handed Slide Focus

Length: 5.9" | 15 cm Weight: 8.35 oz. | 237 g 1 × COAST ZITHION-X™ Rechargeable battery USB-C Y split charging cable Alkaline battery cartridge (batteries not included) Compatible with  $3 \times AAA$ Alkaline batteries (sold separately)

Hanging Box: 100033545



PRO-TEK CHARGING PORT

#### **RECHARGEABLE-DUAL POWER** COAST ZX1000 or 3 × AAA Alkaline

| ANSI FL1 (Rec) | Medium   | High | Low | Turbo |
|----------------|----------|------|-----|-------|
| Lumens         | 330      | 1000 | 75  | 2100  |
| Beam Distance  | 88m      | 155m | 42m | 220m  |
| Puntimo        | 7h 15min | 5h   | 37h |       |





Weather Proof Dust Resistant





(sold separately)



**Battery Life Indicator** 



Medium | High | Low 1-Handed Slide Focus

Length: 5.1" | 12.95 cm Weight: 5.6 oz. | 160 g 1 × COAST ZITHION-X™ Rechargeable battery USB-C Y split charging cable Compatible with 2 × CR123 Lithium batteries (sold separately)

Hanging Box: 100031260



Not scaled to other handhelds

#### **RECHARGEABLE-DUAL POWER** COAST ZX850 or 2 × CR123 Lithium

| ANSI FL1 (Rec) | Medium | High     | Low |  |
|----------------|--------|----------|-----|--|
| Lumens         | 350    | 1000     | 67  |  |
| Beam Distance  | 125m   | 225m     | 55m |  |
| Puntimo        | Ωh     | 3h 10min | 25h |  |





Weather Proof Dust Resistant





400 Lumens | 180m Beam | IP54  $1 \times ZITHION-X^{™}$  Rechargeable or  $1 \times CR123$ 



Medium | High | Low 1-Handed Slide Focus

Length: 3.5" | 9.0 cm Weight: 2.6 oz. | 75 g  $1 \times \text{COAST ZITHION-X}^{™}$ Rechargeable battery USB charging cable Compatible with  $1 \times CR123$ Lithium batteries (sold separately)

Hanging Box: 100033546



Not scaled to other handhelds

#### **RECHARGEABLE-DUAL POWER** COAST ZX310 or 1 × CR123 Lithium

| ANSI FL1 (Rec) | Medium | High     | Low |  |
|----------------|--------|----------|-----|--|
| Lumens         | 150    | 400      | 35  |  |
| Beam Distance  | 110m   | 180m     | 53m |  |
| Runtime        | 5h     | 1h 55min | 10h |  |









ALK

Lumens

Runtime

ANSI FL1 (Alk)

Beam Distance

Medium

380

175m

11h

Hanging Box: 100028257

High

800

260m

3h 30min 40h



Medium | High | Low Twist Focus

Length: 8.4" | 21.4 cm Weight: 12.5 oz. | 356 g

Poly-nylon over stainless

steel core

 $4 \times AA$  batteries

1 × COAST ZITHION-X™ Rechargeable battery upgrade available

(battery sold separately)





| (ALINE-DUAL POWER          | ANSI FL1 C.O.B. | Single   | Double   |
|----------------------------|-----------------|----------|----------|
|                            | Lumens          | 360      | 510      |
| AA Alkaline or COAST ZX650 | Runtime         | 4h 45min | 3h 45min |

Low 105

90m



**DUAL C.O.B.** Area Lights White and Red











Storm Proof Dust Resistant Crush Proof

Drop Proof

# POLYSTEEL® 600 710 Lumens | 240m Beam | 4 × AA



Length: 7.9" | 20 cm Weight: 11.6 oz. | 330 g

Poly-nylon over stainless

steel core  $4 \times AA$  batteries



Clam: 100012531

Poly-nylon over stainless

steel core

Swivel head

| ANSI FL1      | High     | Medium   | Low |
|---------------|----------|----------|-----|
| Lumens        | 710      | 245      | 73  |
| Beam Distance | 240m     | 142m     | 78m |
| Runtime       | 2h 14min | 5h 15min | 30h |









Storm Proof Dust Resistant Crush Proof Drop Proof

# POLYSTEEL® 400S

440 Lumens | 210m Beam |  $4 \times AAA$ 



Length: 7.6" | 19.5 cm Weight: 8.6 oz. I 244 g



**SWIVEL HEAD** 

Magnetic base

 $4 \times AAA$  batteries

Clam: 100028259







Medium



Low









Storm Proof Dust Resistant Crush Proof Drop Proof

# POLYSTEEL® 400

440 Lumens | 210m Beam  $4 \times AAA$ 



High | Medium | Low Twist Focus

Length: 5.5" | 14.1 cm Weight: 6.4 oz. I 190 g

Poly-nylon over stainless steel core

 $4 \times AAA$  batteries

Clam: 100012530



| ANSI FL1      | High | Medium | Low |
|---------------|------|--------|-----|
| Lumens        | 440  | 200    | 60  |
| Beam Distance | 210m | 140m   | 75m |
| Runtime       | 3h   | 7h     | 26h |









# POLYSTEEL® 200 320 Lumens | 120m Beam 3 × AAA



High | Medium | Low Twist Focus

Length: 5.0" | 12.7 cm Weight: 4.2 oz. | 120 g

Poly-nylon over stainless steel core

 $3 \times AAA$  batteries

Clam: 100012529



| ANSI FL1      | High     | Medium | Low |
|---------------|----------|--------|-----|
| Lumens        | 320      | 125    | 40  |
| Beam Distance | 120m     | 80m    | 43m |
| Runtime       | Ah 30min | 12h    | 38h |



NEW! POLYSTEEL® 100 100 Lumens 42m Beam | 2 × AAA







Storm Proof Dust Resistant Crush Proof Drop Proof

# POLYSTEEL® 20

8 lumens 17m Beam |  $2 \times AAA$ 



Length: 5.9" | 15 cm Weight: 1.8 oz. | 53 g

Poly-nylon over stainless steel core

 $2 \times AAA$  batteries Pocket clip

Clam: 100034404









Storm Proof Dust Resistant Crush Proof Drop Proof

Clam: 100028258



Length: 5.9" | 15 cm Weight: 1.8 oz. | 53 g

Poly-nylon over stainless steel core

 $2 \times AAA$  batteries Pocket clip

















## SAVE TIME. SAVE BATTERIES. SAVE MONEY.

The table below shows how some of COAST's most popular rechargeable handhelds provide enhanced sustainability and cost savings. The comparison between rechargeable batteries and alkaline batteries assumes a rechargeable battery life of 500 charges.

|            | PRODUCT<br>NAME | BATTERY<br>TYPE | RÚN TIMÉ<br>LI-ION | # OF BATTERIES<br>SAVED FROM USE | PAYS FOR ITSELF<br>IN XX CYCLES | BATTERY<br>SAVINGS |
|------------|-----------------|-----------------|--------------------|----------------------------------|---------------------------------|--------------------|
| COAST ON   | HP8R            | AAA             | 2h                 | 8,000                            | 13                              | \$4,000            |
| Govern Col | HP3R            | AAA             | 2h 15min           | 750                              | 100                             | \$375              |
|            | HX5R            | CR123           | 3h 45min           | 200                              | 32                              | \$500              |

## RECHARGEABLE HANDHELDS



**HP10R** 

1050 Lumens | 310m Beam | IP54  $1 \times ZITHION-X^{M}$  Rechargeable battery or  $4 \times AAA$ 

**9** HP8R

1000 Lumens ∣ 259m Beam ∣ IP54 ZITHION-X™Rechargeable battery or 4 × AAA



High | Strobe | Low Slide Focus + Beam Lock

Length: 6.9" | 17.4 cm
Weight: 10.9 oz. | 310 g
1 × COAST ZITHION-X™
Rechargeable battery
4 × AAA batteries
AC with USB adapter
Sheath
Lanyard

Box: 100025813



Not scaled to other handhelds

#### RECHARGEABLE-DUAL POWER COAST ZX950 or 4 × AAA Alkaline

CUAST 2X950 or 4 × AAA Alkaline

| ANSI FL1 (Rec) | High | <b>Low</b> |  |
|----------------|------|------------|--|
| Lumens         | 1050 | 230        |  |
| Beam Distance  | 310m | 145m       |  |
| Runtime        | 6h   | 11h        |  |
| Kulltille      |      |            |  |

 ANSI FL1 (Alk)
 High
 Low

 Lumens
 675
 200

 Beam Distance
 240m
 130m

 Runtime
 1h
 2h 30min



High | Low Slide Focus + Beam Lock

Length: 6.2" | 15.8 cm Weight: 7.4 oz. | 210 g

1 × COAST ZITHION-X™ Rechargeable battery 4 × AAA batteries AC with USB adapter Sheath Lanyard

Hanging Box: **100017094** 



# **RECHARGEABLE-DUAL POWER** COAST ZX750 or 4 × AAA Alkaline

| ANSI FL1 (Rec) | High   | Low |  |
|----------------|--------|-----|--|
| Lumens         | 1000   | 125 |  |
| Beam Distance  | 259m   | 89m |  |
| Runtime        | 4h 30m | 11h |  |

| ANSI FL1 (AIK) | High | Low      |
|----------------|------|----------|
| Lumens         | 650  | 90       |
| Beam Distance  | 197m | 75m      |
| Runtime        | 2h   | 6h 30min |

HP7R

300 Lumens | 352m Beam | IP54 1 × ZITHION-X™ Rechargeable battery or 4 × AAA



185 Lumens | 183m Beam | IP54  $1 \times ZITHION-X^{™}$  Rechargeable battery or  $1 \times AA$ 



High | Strobe | Low Slide Focus + Beam Lock

Length:  $6.1" \mid 15.5 \text{ cm}$  Weight:  $7.0 \text{ oz.} \mid 200 \text{ g}$   $1 \times \text{COAST ZITHION-X}^{\text{TM}}$  Rechargeable battery  $4 \times \text{AAA}$  batteries AC+DC with USB adapters Wall mount + Speed clip Heavy-duty sheath Lanyard

Box: 100011149



# RECHARGEABLE-DUAL POWER COAST ZX800 or 4 × AAA Alkaline

 ANSI FL1 (Rec)
 High
 Low

 Lumens
 300
 30

 Beam Distance
 352m
 111m

 Runtime
 7h
 33h

ANSI FL1 (Alk) High Low
Lumens 265 30
Beam Distance 326m 111m
Runtime 1h 45min 12h



Slide Focus + Beam Lock

Length: 4.65" | 11.8 cm Weight: 2.5 oz. | 70 g  $1 \times \text{COAST ZIHION-X}^{\text{TM}}$ Rechargable battery

1 × AA battery
AC+DC with USB adapters
Wall mount + Speed clip
Heavy-duty sheath
Lanyard

Box: 100011150



# RECHARGEABLE-DUAL POWER COAST ZX250 or 1 × AA Alkaline

| ANSI FL1 (Rec) | High     | Low |
|----------------|----------|-----|
| Lumens         | 185      | 19  |
| Beam Distance  | 183m     | 56m |
| Runtime        | 4h 30min | 14h |

| ANSI FL1 (AIK) | High     | Low |  |
|----------------|----------|-----|--|
| Lumens         | 100      | 12  |  |
| Beam Distance  | 127m     | 45m |  |
| Runtime        | 2h 30min | 9h  |  |



**HX5R** 340 Lumens | 178m Beam | 1P54 1 × ZITHION™ Rechargeable or 1 × CR123





High | Low | Strobe Slide Focus

Length: 4.9" | 12.4 cm Weight: 3.9 oz. | 110 g  $1 \times \text{COAST ZITHION}$ ™ Rechargeable battery USB charging cable

Hanging Box: 100025812



**BUILT-IN USB CHARGER** 

#### **RECHARGEABLE-DUAL POWER**

COAST Z550 or 1 × CR123 Lithium

| ANSI FL1      | High     | Low      |
|---------------|----------|----------|
| Lumens        | 340      | 75       |
| Beam Distance | 178m     | 80m      |
| Runtime       | 1h 30min | 4h 15min |



PX1R 460 Lumens | 155m Beam | 1P54 1 × ZITHION-X™ Rechargeable battery or 3 × AAA



# High I Low I Strobe Twist Focus

Length: 5.0" | 12.7 cm Weight: 3.8 oz. | 110 g  $1 \times \text{COAST ZITHION-X}^{™}$ 

Rechargeable battery  $3 \times AAA$  batteries Pocket clip

100019154



## **RECHARGEABLE-DUAL POWER**

COAST ZX450 or 3 × AAA Alkaline

| ANSI FL1 (Rec) | High     | Low |  |
|----------------|----------|-----|--|
| Lumens         | 460      | 50  |  |
| Beam Distance  | 155m     | 50m |  |
| Runtime        | 3h 30min | 14h |  |

| ANSI FL1 (Alk) | High | Low |  |
|----------------|------|-----|--|
| Lumens         | 330  | 40  |  |
| Beam Distance  | 130m | 40m |  |
| Runtime        | 2h   | 24h |  |



**♦ A8R** 19m Beam | IP54 | 1 × ZITHION™ Rechargeable



Length: 4.25" | 11.0 cm Weight: 0.4 oz. | 11.0 g

 $1 \times \mathsf{COAST} \; \mathsf{ZITHION}^{\scriptscriptstyle{\top\!\!\!\!M}}$ Rechargeable battery AC+DC with USB adapters Pocket clip



## RECHARGEABLE POWER

ANSI FL1 Beam Distance 19m Runtime 1h

Box: 100012036





TAST TRUSTED TOUGH

3h 30min

650 Lumens | 300m Beam | IPX4 |  $4 \times AAA$ 



Length: 5.6" | 14.2 cm Weight: 7.0 oz. | 198 g

 $4 \times AAA$  batteries included



ANSI FL1 High Medium Low Lumens 650 330 90 Beam Distance 200m 135m 75m 3h 15min 6h 30min Runtime 3h

Box: 100011012 Clam: 100011013

**HP7XDL** 240 Lumens | 270m Beam | IPX4 | 3 × AAA



Length: 5.5" | 14 cm Weight: 5.3 oz. | 150 g

 $3 \times AAA$  batteries included

Blister: 100028254



| ANSI FL1      | High | Low  |
|---------------|------|------|
| Lumens        | 240  | 70   |
| Beam Distance | 270m | 147m |
| Runtime       | 5h   | 17h  |

HP4

100 Lumens | 55m Beam | IPX4 |  $2 \times AAA$ 



Length: 5.7" | 14.5 cm Weight: 2.5 oz. | 70 g  $2 \times AAA$  batteries Pocket clip



HP3

105 Lumens | 62m Beam | IPX4 |  $2 \times AAA$ 

Box: 100011006



Length: 5.75" | 14.6 cm Weight: 2.0 oz. | 57 g

 $2 \times AAA$  batteries Pocket clip



HP1

190 Lumens | 130m Beam | IPX4 | Li-Ion or  $1 \times AA$ 



Lumens Beam Distance Runtime 45min Length: 4" | 10.2 cm

Weight: 2.5 oz. | 71 g  $1 \times AA$  batteries

Pocket clip



100012032 Box:

360 Lumens | 130m Beam | IP54  $1 \times AA$  or  $1 \times NiMH$  or  $1 \times ZITHION-X^{TM}$  Rechargeable battery



Length: 4.0" | 10.2 cm Weight: 2.8 oz. | 80 g

 $1 \times AA$  battery Rechargeable battery (battery sold separately)

2-way clip



**ALKALINE-DUAL POWER**  $1 \times AA$  Alkaline or  $1 \times NiMH$  or COAST ZX210

ANSI FI 1 Alkaline NiMH Li Ion Lumens 168 125 360 Beam Distance 88m 77m 130m 1h 15min 3h 15min 1h 10min Runtime

Clam: 100012560

Box: 100027664

HX4

80 Lumens | 13m Beam | IPX4 |  $2 \times AAA$ 



Length: 3.1" | 7.9 cm Weight: 1.7 oz. | 50 g  $2 \times AAA$  batteries Magnetized clip

Clam: 100026072



80 Lumens | 13m Beam | IPX4 |  $2 \times AAA$ 



Length: 3.1" | 7.9 cm Weight: 1.7 oz. | 50 g

 $2 \times AAA$  batteries Magnetized clip

Clam: 100026071 Box: 100031141



**PX300** 

400nm Wave Length | IPX4 |  $3 \times AAA$ 

**UV 400nm** UTILITY **BEAM** 

Length: 13.5 cm Weight: 170 g  $3 \times AAA$  batteries

Clam: 100027833



ANSI FL1 Wavelength 400nm Beam Distance 16m

**PX150** 

400nm Wave Length | IPX4 |  $2 \times AA$ 

Runtime

**UV 400nm** UTILITY BEAM

Length: 10.7 cm Weight: 70 g  $2 \times AA$  batteries

Clam: 100027832



ANSI FL1 Wavelength 400nm Beam Distance 9m

**PX26** 265 Lumens | 121m Beam | IPX4 | 3 × AAA

**BULLS-EYE SPOT BEAM** FOR DISTANCE

Length: 4.7" | 11.9 cm Weight: 4.2 oz. | 119 g  $3 \times AAA$  batteries

Heavy-duty sheath (box only)

Clam: 100011025

ANSI FL1 265 Lumens Beam Distance 121m Runtime 2h

**PX20** 

315 Lumens | 142m Beam | IPX4 |  $3 \times AAA$ 



Length: 4.6" | 11.8 cm Weight: 3.8 oz. | 110 g  $3 \times AAA$  batteries Pocket clip

Clam: 100011023 100011022 Box:



ANSI FL1 Lumens 315 Beam Distance 142m Runtime 1h 15min

**NEW! PX100** 

400nm Wave Length | IPX4 |  $1 \times AA$ 



Length: 4.2" | 10.7 cm Weight: 2.5 oz. | 70 g  $1 \times AA$  batteries

Clam: 100025257





ANSI FL1 Wavelength 400nm Beam Distance 6.3m Runtime 3h







480 Lumens | 107m Beam | IPX4 |  $3 \times AAA$ 



COAST.

High | Low Twist Focus

Length: 4.5" | 11.4 cm Weight: 4.6 oz. | 130 g  $3 \times AAA$  batteries

ANSI FL1 High Low 480 40 Lumens Beam Distance 107m 30m Runtime 3h 30min 28h

Clam: 100014047

Pocket clip

100 Lumens | 55m Beam | IP54 |  $1 \times AAA$ 



Length: 3.7" | 9.3 cm Weight: 1.1 oz. | 40 g

Clam: 100028385



| ANSI FL1      | Low      | High     |
|---------------|----------|----------|
| Lumens        | 45       | 100      |
| Beam Distance | 38m      | 55m      |
| Runtime       | 5h 30min | 1h 45min |

 $1 \times AAA$  batteries Pocket clip

**G24** 

200 Lumens | 150m Beam | IPX4 |  $2 \times AAA$ 

Lumens

Runtime

Beam Distance

| •         | BULLS-EYE<br>SPOT BEAM<br>FOR DISTANCE |
|-----------|--|
| Low I His | rh                                     |

Length: 6.3" | 16.3 cm Weight: 2.4 oz. | 68 g

Clam: 100028386

|          | -   | DAST. eu |  |
|----------|-----|----------|--|
|          |     |          |  |
| ANSI FL1 | Low | High     |  |

45

69m 12h

200

7h

150m

 $2 \times AAA$  batteries

355 Lumens | 132m Beam | IP54 |  $2 \times AA$ 



Twist Focus

Length: 6.5" | 16.6 cm Weight: 5.3 oz. | 150 g

 $2 \times AA$  batteries Pocket clip

Clam: 100028385



ANSI FL1 High Low Lumens 355 110 Beam Distance 132m 73m Runtime 4h 45min 19h


385 Lumens | 168m Beam | IPX4 |  $3 \times AAA$ 



Length: 4.75" | 12.0 cm Weight: 3.6 oz. | 102 g

Pocket Clip  $3 \times AAA$  batteries

Clam: 100010991





|            |  | 1 |
|------------|--|---|
| COA57: 645 |  | 9 |
|            |  | 1 |

ANSI FL1 Lumens Beam Distance 385 168m Runtime 1h



NEW! **G23 C.O.B** 120 Lumens | 14m Beam | IP54 2 × AAA or 1 × ZITHION-X<sup>™</sup> Rechargeable



Length: 5.8" | 14.7 cm Weight: 2.5 oz. | 70 g Pocket clip  $2 \times AAA$  batteries USB-C Y split charging cable  $1 \times \text{COAST ZITHION-X}^{\text{\tiny{TM}}}$ Rechargeable battery upgrade available

**ALKALINE-DUAL POWER** 2 × AAA Alkaline or COAST ZX110 ANSI FL1

Beam Distance 17m Runtime 11h

ANSI FL1 C.O.B Lumens Beam Distance 14m Runtime 3h 15min

Magnetic Clip

**G9** 22m Beam | IPX4 | 1 × AAA



Length: 4.1" | 10.4 cm Weight: 2.0 oz. | 57 g

 $1 \times \text{AAA}$  battery 2-way clip

Clam: 100013955



ANSI FL1 Beam Distance 22m

2h 30min

Runtime

Clam: 100034402

(battery sold separately)

**G19** 

20m Beam | IPX4 |  $1 \times AAA$ 

INSPECTION **BEAM** LOW GLARE

Length: 4.0" | 10.2 cm Weight: 1.4 oz. | 40 g  $1 \times AAA$  battery Pocket clip

COAST. 619 ANSI FL1 Beam Distance 20m Runtime 2h 30min


Clam: 100010983 Box: 100010982 19 Lumens | 24m Beam | IPX4 |  $4 \times LR754$ 



Length: 2.5" | 6.2 cm Weight: 0.4 oz. | 11.3 g

 $4 \times LR754$  batteries





# HANDHELD BATTERY PACKS & ACCESSORIES

#### TX14R BATTERY CARTRIDGE



#### TX9R, HP8R, HP7R BATTERY CARTRIDGE



ZITHION-X™ ZX960

Item: 100034467

RECHARGEABLE BATTERY

#### **HP10R BATTERY CARTRIDGE**



**USB ADAPTER** 



ZITHION-X™ ZX1000 **RECHARGEABLE BATTERY** 



ZITHION-X™ ZX950

RECHARGEABLE BATTERY



ZITHION-X™ ZX850 RECHARGEABLE BATTERY



ZITHION-X™ ZX800

COAST. ZITHIONX RECHARGEABLE BATTERY ZX960



DC POWER ADAPTER



RECHARGEABLE BATTERY



ZITHION-X™ ZX810 RECHARGEABLE BATTERY



ZITHION-X™ ZX650 RECHARGEABLE BATTERY



ZITHION-X™ ZX310 **RECHARGEABLE BATTERY** 



ZITHION-X™ ZX250 RECHARGEABLE BATTERY



ZITHION-X™ ZX210 RECHARGEABLE BATTERY



ZITHION-X™ ZX110 RECHARGEABLE BATTERY



ZITHION™ Z550 RECHARGEABLE BATTERY



ZITHION™ Z500 RECHARGEABLE BATTERY



MICRO USB CHARGING CABLE



#### **TX14R TRAFFIC CONE**



#### USB-C Y SPLIT CHARGING CABLE





# HANDHELD ACCESSORIES



#### LF100 LENS FILTER KIT

4 colors + clear. Fits: HP7R, TX40 and other lights with similar bezel diameters.



#### **LF50 LENS FILTER KIT**

4 colors + clear. Fits: HP5R and other lights with similar bezel diameters.



## HANDHELD LIGHT SHEATHS

Belt loop built-in High-tension elastic sides



**\$50** Fits: P\$600, HP14

Clam: 100017141



**S40** Fits: PS400, HP7R, A25R, TX40, G26, XP11R

Clam: 100017142



**S30** Fits: PS200, HP7, XP9R

Clam: 100016440



Fits: HP5R, A22R, HP5, PX25, G45

**S20** 

Clam: 100017144



Fits: PX20, TX10, A15, XP6R

Clam: 100017145

Sheaths may also fit lights with dimensions similar to those listed.



## **INTRINSICALLY SAFE TECH**

I-SAFE™

## **SAFETY TECH**

COAST's intrinsically safe (I-SAFETM) lights are designed to provide safe and reliable operation in hazardous gas environments. At the same time, I-SAFE lights offer a number of Coast's innovative beam and build technologies. The end result is a handheld and headlamp series that can be trusted tough—and trusted safe.



# MULTIPLE BEAM OPTIONS

HZ series lights offer a variety of beam types, as well as the ability of some models to combine beams for even more usefulness in the field.

# STATIC DISSIPATIVE BODY MATERIALS

COAST's HZ lights are built with materials—including rubberized overmolds—that meet stringent safety requirements.

#### BUILT FOR Hazardous environments

Safety rated for some of the most hazardous gas environments, HZ series lights combine COAST's technology with piece of mind.






HZ025

250 Lumens | 160m Beam | IP64 |  $3 \times AA$  Silicone and fabric hardhat straps | Locking battery closure

I-SAFE"



Weight: 10.2 oz. | 290 g  $3 \times AA$  batteries (not included)

Hardhat compatible

Blister: 100027564



SAFETY RATINGS

CL I, II & III, DIV 1, GP A-G T3/T4 CL I, ZN 0, Ex&AEx ia IIC T3/T4 \( \omega\) II 1G Ex ia od is IIC T3 Ga

⚠ READ MANUAL BEFORE USE


□ I M1 Ex ia op is I Ma

APPROVED BATTERIES: Energizer L91 (North America only), Duracell MN1500

HZ040

165 Lumens | 165m Beam | IP67 |  $4 \times AA$  Activation lock-out | Belt clip





Length: 7.2" | 18.3 cm Weight: 8.5 oz. | 240 g 4 × AA batteries (not included) Belt clip (removable)

Vend: 100028260



6h

Runtime

| ANSI FL1 (AIK) | High     | Low  |
|----------------|----------|------|
| Lumens         | 165      | 65   |
| Beam Distance  | 165m     | 100m |
| Runtime        | 8h 15min | 37h  |

SAFETY RATINGS

Class I Div 1&2 Grp ABCD / Class II Div 1&2 Grp EFG
Class III / Temperature Code T4
File number: E500019

9h 30min

Gas: II 1G Ex ia IIC T4 Ga

Mine: I M1 Ex ia I Ma

DEMKO 18 ATEX 2090X

Gas: Ex ia IIC T4 Ga

IECEx Mine: Ex ia I Ma

IECEx UL 18.0097X

 $\stackrel{\wedge}{\triangle} {\rm READ\ MANUAL}_{\rm BEFORE\ USE}$ 

APPROVED BATTERIES: Energizer E91, Duracell MN1500 \*Reference user manual for a complete list of compatible battery types

**HZ050** 

260 Lumens | 128m Beam | IP64 |  $3 \times AA$ Hinged clip with magnet | Key for battery closure





Length: 7.5" | 19.1 cm Weight: 8.1 oz. | 230 g 3 × AA batteries (not included) Hinged clip w/magnet Battery closure key

Vend: 100027563



| ANSI FL1           | Spot       | Flood | Side               |
|--------------------|------------|-------|--------------------|
| Lumens             | 200        | 30    | 100                |
| Beam Distance      | 128m       | 12m   | 17m                |
| Runtime            | 13h        | 13h   | 15h                |
|                    |            |       |                    |
| ANSI FL1           | Spot & Flo | od    | Spot & Side        |
| ANSI FL1<br>Lumens | Spot & Flo | od    | Spot & Side<br>260 |
|                    |            | od    |                    |

#### SAFETY RATINGS

CL I, II & III, DIV 1, GP A-G T3/T4 CL I, ZN 0, Ex&AEx ia IIC T3/T4 D II 1G Ex ia op is IIC T3 Ga I M1 Ex ia op is I Ma

⚠ READ MANUAL BEFORE USE

APPROVED BATTERIES:

Energizer L91 (North America only), Duracell MN1500





# XPH RECHARGEABLE HEADLAMPS

**IP54** 









**Battery Life Indicator** 

**Battery Life Indicator** 

**Battery Life Indicator** 





Medium | High | Low | *Turbo* Twist Focus

Weight: 8.0 oz. I 227 g 1 × COAST ZITHION-X™ Rechargeable battery USB-C Y split charging cable Compatible with  $3 \times AAA$ Alkaline batteries (sold separately)

Hanging Box: 100033543



Hardhat compatible Reflective safety strap Hinged beam

## **RECHARGEABLE-DUAL POWER**

COAST ZX955 or 3 × AAA Alkaline









Dust Proof Resistant

Magnetic End Cap



1000 Lumens | 165m Beam | IP54 | 1 × ZITHION-X™ Rechargeable battery or 2 × CR123



Medium | High | Low | Turbo Twist Focus

Weight: 3.35 oz. I 95 g 1 × COAST ZITHION-X™ Rechargeable battery USB-C Y split charging cable Compatible with  $2 \times CR123$ Alkaline batteries (sold separately)



Hardhat compatible Reflective safety strap Hinged beam

Hanging Box: 100031259

## **RECHARGEABLE-DUAL POWER**

COAST ZX850 or 2 × CR123 Lithium

| ANSI FL1 (Rec) | Medium | High     | Low | Turbo |  |
|----------------|--------|----------|-----|-------|--|
| Lumens         | 150    | 490      | 40  | 1000  |  |
| Beam Distance  | 63m    | 112m     | 31m | 165m  |  |
| Duntimo        | 106    | 7h AEmin | 41h |       |  |



Proof






Magnetic Resistant End Cap



**XPH25R** 410 Lumens | 120m Beam | IP54 | 1 × ZITHION-X™ Rechargeable battery or 1 × CR123



Weight: 2.7 oz. | 76 g 1 × COAST ZITHION-X™ Rechargeable battery USB charging cable Compatible with  $1 \times CR123$ Alkaline battery (sold separately)



Hardhat compatible Reflective safety strap Hinged beam

Hanging Box: 100032873

#### **RECHARGEABLE-DUAL POWER** COAST ZX310 or 1 × CR123 Lithium









Dust Weather Proof Resistant

Magnetic End Cap







## **HEADLAMP TECH**



#### **BEAM SHAPING**

The Twist Focus Ring makes it easy to go from Ultra View Flood Beam to Bulls-Eye Spot.



#### EASY ON/OFF

COAST headlamps have several different power switch designs, but all are easy to use.



#### REFLECTIVE SAFETY STRAP

Certain COAST headlamps include a reflective safety strap for enhanced user visibility.



#### HINGED BEAM ADJUSTMENT

ALL COAST headlamps include a hinged, tilting head to let you adjust direction of the light beam.



## SAVE TIME. SAVE BATTERIES. SAVE MONEY.

The table below shows how the FL75R provides enhanced sustainability and cost savings.

The comparison between rechargeable batteries and alkaline batteries assumes a rechargeable battery life of 500 charges.

| PRODUCT | BATTERY | RUN TIME | # OF BATTERIES | PAYS FOR ITSELF | BATTERY |
|---------|---------|----------|----------------|-----------------|---------|
| NAME    | TYPE    | LI-10N   | SAVED FROM USE | IN XX CYCLES    | SAVINGS |
| FL75R   | AAA     | 2h 15min | 1035           | 49              | \$519   |

# **RECHARGEABLE HEADLAMPS**



#### PRO-TEK CHARGING PORT

Opens for charging port access.











700 Lumens | 200m Beam | IP54  $1 \times ZITHION-X^{™}$  Rechargeable or  $3 \times AAA$ 



High | Medium | Low Twist Focus

Weight: 4.5 oz. | 128 g

 $1 \times \text{COAST ZITHION-X}$ <sup>™</sup> Rechargeable battery  $3 \times AAA$  Alkaline batteries Hardhat compatible Reflective safety strap Hinged beam

Hanging Box:100026236




#### **RECHARGEABLE-DUAL POWER** COAST ZX350 or 3 × AAA Alkaline

| ANSI FL1 (Rec) | High     | Medium | Low      |
|----------------|----------|--------|----------|
| Lumens         | 700      | 350    | 90       |
| Beam Distance  | 200m     | 140m   | 70m      |
| Runtime        | 1h 45min | 4h     | 8h 30min |

| ANSI FL1 (Alk) | High     | Medium   | Low |
|----------------|----------|----------|-----|
| Lumens         | 610      | 330      | 90  |
| Beam Distance  | 190m     | 140m     | 70m |
| Duntimo        | 2h 20min | 5h 20min | 17h |

FL75R 530 Lumens | 156m Beam | 11754 1 × ZITHION-X™ Rechargeable or 3 × AAA 530 Lumens | 156m Beam | IP54



Weight: 3.1 oz. | 90 g 1 × COAST ZITHION-X™ Rechargeable battery  $3 \times AAA$  batteries Hardhat compatible Reflective safety strap Hinged beam

Box: 100017093



#### **RECHARGEABLE-DUAL POWER** COAST ZX350 or 3 × AAA Alkaline

| ANSI FL1 (Rec) | High     | Medium   | Low |  |
|----------------|----------|----------|-----|--|
| Lumens         | 530      | 260      | 65  |  |
| Beam Distance  | 156m     | 107m     | 54m |  |
| Runtime        | 2h 15min | 5h 15min | 11h |  |
|                |          |          |     |  |
|                |          |          |     |  |

ANSI FL1 (Alk) High Medium Low 480 245 65 Lumens Beam Distance 145m 106m 54m 7h 30min 23h Runtime 3h 15min



BLACK/RED Box: 21531



RED/GRAY Box: 20618



GREEN/GRAY Box: 100034269



ORANGE/GRAY Box: **20620** 



BLUE/GRAY Box: 100034268











300 Lumens | 34m Beam | IP54 1 × built-in ZITHION™ Rechargeable



Weight: 2.3 oz. | 65 g  $1 \times \text{built-in COAST ZITHION}$ <sup>™</sup> Rechargeable battery Hinged beam

Clam: 100028253



# RECHARGEABLE POWER ouilt-in COAST ZITHION™

| ANSI FL1      | High | Low |
|---------------|------|-----|
| Lumens        | 270  | 85  |
| Beam Distance | 20m  | 12m |
| Runtime       | 5h   | 10h |



Weight: 1.1 oz. | 32 g  $1 \times \mathsf{built\text{-}in} \; \mathsf{COAST} \; \mathsf{ZITHION}^{\scriptscriptstyle{\top\!\!\!\!\!\!\!\!\!\!\top}}$ Rechargeable battery Hinged beam

Hanging Box: 100028278



# RECHARGEABLE POWER built-in COAST ZITHION™

| ANSI FL1 (Rec) | Low      | High     |  |
|----------------|----------|----------|--|
| Lumens         | 120      | 300      |  |
| Beam Distance  | 26m      | 34m      |  |
| Runtime        | 3h 45min | 1h 30min |  |



800 Lumens | 214m Beam | IP54  $1 \times ZITHION-X$ <sup>™</sup> Rechargeable or  $4 \times AA$ 



240 Lumens | 104 m Beam IPX4 | 3 × ZITHION™ Rechargeable



## High | Medium | Low Twist Focus

Weight: 12.3 oz. | 349 g 1 × COAST ZITHION-X™ Rechargeable battery  $4 \times AA$  batteries 3' battery extension cord Hardhat compatible Hinged beam

Gift Box: 100014848



#### **RECHARGEABLE-DUAL POWER** COAST ZX900 or 4 × AA Alkaline

| ANSI FL1 (Rec)           | High        | Medium        | Low           |
|--------------------------|-------------|---------------|---------------|
| Lumens                   | 800         | 245           | 50            |
| Beam Distance            | 214m        | 119m          | 55m           |
| Runtime                  | 4h 15min    | 12h           | 62h           |
|                          |             |               |               |
|                          |             |               |               |
| ANSI FL1 (AIK)           | High        | Medium        | Low           |
| ANSI FL1 (AIK)<br>Lumens | High<br>750 | Medium<br>245 | <b>Low</b> 50 |
|                          | -           |               |               |



Variable Light Tech (VLT) Twist Focus

Weight: 4.4 oz. | 125 g 3 × COAST ZITHION™ Rechargeable batteries Light Output Control Lever Hardhat compatible Z-cord in headband Hinged beam

Clam: 100011283 100011284



# RECHARGEABLE POWER 3 × COAST Z100

| ANSI FL1      | High     | Low |
|---------------|----------|-----|
| Lumens        | 240      | 4   |
| Beam Distance | 104m     | 13m |
| Duntimo       | 1h 20min | 40b |



## **ALKALINE HEADLAMPS - FRONT LOADING**

**FL85** 650 Lumens | 195m Beam | IP54 3 × AAA or 1 × ZITHION-X™ Rechargeable battery



High | Medium | Low Twist Focus

Weight: 4.5 oz. | 128 g  $3 \times AAA$  batteries

1 × COAST ZITHION-X™ Rechargeable battery upgrade available

(battery sold separately)

Hardhat compatible Reflective safety strap Hinged beam



#### ALKALINE-DUAL POWER 3× AAA Alkaline or COAST ZX350

| ANSI FL1      | High     | Medium   | Low       |
|---------------|----------|----------|-----------|
| Lumens        | 650      | 355      | 100       |
| Beam Distance | 192m     | 145m     | 77m       |
| Runtime       | 2h 20min | 4h 30min | 15h 45min |

Clam: 100016201

**FL75** 



High | Medium | Low Twist Focus

Weight: 3.5 oz. | 100 g

 $3 \times \text{AAA}$  batteries

1 × COAST ZITHION-X™ Rechargeable battery upgrade available

(battery sold separately)

Hardhat compatible Reflective safety strap Hinged beam

Clam: **100025086** Box: **100034267** 



# **ALKALINE-DUAL POWER** 3× AAA Alkaline or COAST ZX350

| ANSI FL1      | High     | Medium   | Low       |
|---------------|----------|----------|-----------|
| Lumens        | 500      | 300      | 90        |
| Beam Distance | 150m     | 120m     | 65m       |
| Runtime       | 2h 50min | 3h 30min | 17h 30min |

#### FL75 w/Helmet Mount Kit Clam: 20948



Includes: Adhesive mount Rubber strap Hardhat clips

**FL80** 

615 Lumens | 183m Beam | IPX4 |  $3 \times AAA$ 



High | Medium | Low Twist Focus

Weight: 4.2 oz. | 120 g 3 × AAA batteries Hardhat compatible Reflective safety strap Hinged beam



| ANSI FL1      | High     | Medium   | Low |
|---------------|----------|----------|-----|
| Lumens        | 615      | 330      | 96  |
| Beam Distance | 183m     | 139m     | 77m |
| Runtime       | 2h 15min | 3h 45min | 13h |

Clam: 100018804

FL/U

435 Lumens | 160m Beam | 1P54 3 × AAA or 1 × ZITHION-X<sup>™</sup> Rechargeable battery



High | Medium | Low Twist Focus

Weight: 3.5 oz. I 100 g 3 × AAA batteries 1 × COAST ZITHION-X™ Rechargeable battery upgrade available (hattery sold separately) Hardhat compatible

Reflective safety strap Hinged beam



#### ALKALINE-DUAL POWER 3× AAA Alkaline or COAST ZX350

| ANSI FL1      | High     | Medium   | Low |
|---------------|----------|----------|-----|
| Lumens        | 490      | 300      | 75  |
| Beam Distance | 160m     | 127m     | 62m |
| Runtime       | 2h 30min | 4h 30min | 23h |

Clam: 100016200



**FL60** 

400 Lumens | 32m Beam | IPX4 |  $3 \times AAA$ 



#### High | Medium | Low

Weight: 3.2 oz. | 90 g  $3 \times AAA$  batteries Hardhat compatible Reflective safety strap Hinged beam

Clam: 100016199 100025742 Box:



| meaium   | Low |
|----------|-----|
| 205      | 55  |
| 23m      | 12m |
| 3h 30min | 19h |
|          | 23m |

#### FL60 w/Helmet Mount Kit

Clam: 20949



Includes: Adhesive mount Rubber strap Hardhat clips

330 Lumens | 41m Beam | IP54 FL19 330 Lumens | 41m Beaiii | 1104 3 × AAA or 1 × ZITHION-X™ Rechargeable battery



3 LEDs (1 white + 2 red) High I Low

Weight: 2.8 oz. | 80 g  $3 \times AAA$  batteries Reflective safety strap Hinged beam

Clam: 100025811



#### **ALKALINE-DUAL POWER** 3× AAA Alkaline or COAST ZX350

| ANSI FL1      | High | Low       |
|---------------|------|-----------|
| Lumens        | 365  | 62        |
| Beam Distance | 41m  | 16m       |
| Runtime       | 3h   | 18h 15min |

255 Lumens | 21m Beam | IP54 |  $2 \times AAA$ 



Low | High | Turbo

Weight: 2.1 oz. | 60 g  $2 \times AAA$  batteries Hinged beam

Clam: 100025810



| ANSI FL1      | Low       | High     | Turbo |
|---------------|-----------|----------|-------|
| Lumens        | 55        | 180      | 255   |
| Beam Distance | 10m       | 18m      | 21m   |
| Runtime       | 16h 15min | 2h 50min |       |



# **ALKALINE HEADLAMPS - REAR LOADING**

**HL8** 615 Lumens | 196m Beam | IPX4 | 4 × AA



High | Medium | Low Twist Focus

Weight: 12.8 oz. | 363 g  $4 \times AA$  batteries Light Output Control Dial 3' battery extension cord Hardhat compatible Z-cord in headband Hinged beam

Clam: 100011001



| ANSI FL1      | High     | Medium | Low |
|---------------|----------|--------|-----|
| Lumens        | 615      | 210    | 46  |
| Beam Distance | 196m     | 116m   | 53m |
| Runtime       | 1h 45min | 6h     | 64h |

**HL27** 

360 Lumens | 132m Beam | IPX4 |  $3 \times AA$ 



Variable Light Tech (VLT) Twist Focus

Weight: 6.9 oz. | 196 g  $3 \times AA$  batteries Hardhat compatible Light Output Control Wheel Z-cord in headband Removable top strap Hinged beam

Clam: 100011003



| ANSI FL1      | High     | Low |
|---------------|----------|-----|
| Lumens        | 360      | 3   |
| Beam Distance | 132m     | 12m |
| Runtime       | 9h 15min | 84h |

305 Lumens | 127m Beam | IPX4 |  $3 \times AAA$ 



High | Medium | Low Twist Focus

Weight: 4.4 oz. | 125 g  $3 \times AAA$  batteries Light Output Control Lever Hardhat compatible Z-cord in headband Hinged beam



| ANSI FL1      | High     | Low |
|---------------|----------|-----|
| Lumens        | 305      | 5   |
| Beam Distance | 127m     | 16m |
| Runtime       | 2h 15min | 85h |

Clam: 100011282

**HL45** 400 Lumens | 28m Beam | IPX4 | 3 × AAA



High | Low

Weight: 4.5 oz. | 130 g  $3 \times AAA$  batteries Hardhat compatible Z-cord in headband Hinged beam

Clam: 100026237



| ANSI FL1      | High     | Low |
|---------------|----------|-----|
| Lumens        | 400      | 130 |
| Beam Distance | 28m      | 16m |
| Runtime       | 3h 30min | 13h |





300 Lumens | 30m Beam | IPX4 |  $3 \times AAA$ 



Weight: 4.2 oz. I 120 g  $3 \times AAA$  batteries Hardhat compatible Z-cord in headband Hinged beam

Clam: 100026238



| ANSI FL1      | High     | Low |
|---------------|----------|-----|
| Lumens        | 300      | 100 |
| Beam Distance | 30m      | 17m |
| Runtime       | 3h 30min | 14h |

175 Lumens | 56m Beam | IPX4 |  $3 \times AAA$ 



Weight: 4.2 oz. | 120 g  $3 \times AAA$  batteries included Hardhat compatible Z-cord in headband Hinged beam

Clam: 100010999 Box: 100010998



| ANSI FL1      |          |
|---------------|----------|
| Lumens        | 175      |
| Beam Distance | 56m      |
| Runtime       | 3h 15min |

### **HEADLAMP ACCESSORIES**

#### **HELMET MOUNT KIT** 3 mounting options

Adhesive mount Rubber strap Hardhat clips

Clam: 100018754



Helmet and headlamp not included

#### **USB ADAPTER**



#### DC POWER ADAPTER



#### ZITHION-X™ ZX955 RECHARGEABLE BATTERY



#### ZITHION-X™ ZX850 **RECHARGEABLE BATTERY**



#### ZITHION-X™ ZX310 RECHARGEABLE BATTERY



#### ZITHION-X™ZX350 RECHARGEABLE BATTERY



#### ZITHION™ Z100 **RECHARGEABLE BATTERY**



#### MICRO USB **CHARGING CABLE**



#### **USB-C Y SPLIT CHARGING CABLE**











1150 Lumens | 77m Beam | IP54 | AC Power or built-in COAST ZITHION™ Rechargeable battery



High | Medium | Low Twist Focus

Height: 6.7" | 17.0 cm Weight: 29 oz. I 8309 g

1 × built-in COAST ZITHION" Rechargeable battery AC with USB adapter **USB Power Out** 

Display Box: 100028984



| Rechargeable  | High     | Medium   | Low |
|---------------|----------|----------|-----|
| Lumens        | 1150     | 600      | 125 |
| Beam Distance | 77m      | 55m      | 25m |
| Runtime       | 3h 15min | 6h 45min | 13h |

#### **DUAL POWER**

AC Power or built-in COAST ZITHION





**WLR2** 2000 Lumens | 280m Beam | IP54 | AC Power or built-in COAST ZITHION™ Rechargeable battery



High | Medium | Low | Swivel Twist Focus

Height: 6.7" | 17.0 cm

Weight: 29 oz. | 8309 g 1 × built-in COAST ZITHION™ Rechargeable battery AC with USB adapter **USB Power Out** 

Display Box: 100039035



| Rechargeable  | High     | Low | Medium   | Swivel   |
|---------------|----------|-----|----------|----------|
| Lumens        | 2000     | 350 | 1150     | 230      |
| Beam Distance | 70m      | 29m | 53m      | 280m     |
| Runtime       | 3h 15min | 14h | 6h 15min | 9h 30min |

#### **DUAL POWER**

AC Power or built-in COAST ZITHION







6870 Lumens | 316m Beam | IP54 | COAST ZITHION™ Rechargeable battery




High | Medium | Low | Swivel Twist Focus

1 × built-in COAST ZITHION™ Rechargeable battery AC with USB adapter USB Power Out

Display Box: **100045800** 





#### **DUAL POWER**

AC Power or built-in COAST ZITHION"





# PM50R

185 Lumens | 67m Beam | IP54  $1 \times \mathsf{ZITHION}\text{-}\mathsf{X}^{\scriptscriptstyle\mathsf{TM}}$  Rechargeable battery



### Spot | High | Low Area light

Height: 3.5" | 8.9 cm Weight: 1.8 oz. | 50 g  $1 \times \mathsf{COAST}\ \mathsf{ZITHION-X}^{^{\mathsf{TM}}}$ 

Display Box: **100045798** 



| Desta de la constanta de la co | 01       | Acces 100 cli | Acres Laur |
|--|----------|---------------|------------|
| Rechargeable   | Spot     | Area High     | Area Low   |
| Lumens   | 2000     | 350           | 1150       |
| Beam Distance  | 70m      | 29m           | 53m        |
| Runtime  | 3h 15min | 14h           | 6h 15min   |

NEW! PM100R 850 Lumens | 69m Beam | IP54 1 × ZITHION-X™ Rechargeable battery



### Spot | High | Low Area light

Height: 3.5" | 8.9 cm Weight: 1.8 oz. | 50 g  $1 \times \mathsf{COAST}\ \mathsf{ZITHION-X}^{^{\mathsf{TM}}}$ 

Display Box: **100045799** 

Area High

Medium



Flashlight

Spot & Flood

|  | Beam Distance<br>Runtime | 70m<br>3h 15min | 29m<br>14h | 53m<br>6h 15min | Lumens<br>Beam Distance<br>Runtime | 71<br>10m<br>40h | 229<br>22m<br>16h | 650<br>33m<br>5h 30min | 145<br>55m<br>6h | 78<br>19m<br>24 | 220<br>57m<br>6h 30min |
|--|--------------------------|-----------------|------------|-----------------|------------------------------------|------------------|-------------------|------------------------|------------------|-----------------|------------------------|
| Service of the servic |                          |                 |            |                 |                                    |                  |                   |                        |                  |                 |                        |
|  |                          |                 |            |                 |                                    |                  |                   |                        |                  |                 |                        |



NEW! PM200R 500 Lumens | 195m Beam | IP54 1 × ZITHION-X™ Rechargeable or 3 × AA



Medium | High | Low Twist Focus

Height: 5.3" | 13.5 cm Weight: 9.0 oz. | 260 g  $1 \times \text{COAST ZITHION-X}$ <sup>™</sup>

 $3 \times AA$  batteries (Alkaline battery sold separately)

Display Box: 100045794



#### **ALKALINE-DUAL POWER** COAST ZX600 or 3× AA Alkaline

| Rechargeable  | Medium | High     | Low |
|---------------|--------|----------|-----|
| Lumens        | 178    | 500      | 69  |
| Beam Distance | 118m   | 195m     | 66m |
| Runtime       | 17h    | 7h 30min | 50h |



NEW! PM300R 1270 Lumens | 255m Beam | IP54 1 × ZITHION-X™ Rechargeable or 6 × AA



Medium | High | Low Twist Focus

Height: 6.3" | 16.0 cm Weight: 17.4 oz. | 496 g 1 × COAST ZITHION-X™  $6 \times AA$  batteries


(Alkaline battery sold separately)

Display Box: **100045795** 

**ALKALINE-DUAL POWER** COAST ZX600 or 6× AA Alkaline



| lechargeable  | Medium | High | Low |
|---------------|--------|------|-----|
| umens         | 560    | 1270 | 43  |
| Beam Distance | 165m   | 255m | 47m |
| Runtime       | 10h    | 6h   | 62h |









**PM310R** 1100 Lumens | 77m Beam | IP54 | COAST ZITHION™ Rechargeable battery or 6 x AA



High | Medium | Low Twist Focus

1 × built-in COAST ZITHION™ Rechargeable battery

(Alkaline battery sold separately)

Display Box: **100045797** 



| Rechargeable  | Medium | High     | Low |  |
|---------------|--------|----------|-----|--|
| Lumens        | 510    | 1100     | 120 |  |
| Beam Distance | 160m   | 250m     | 80m |  |
| Runtime       | 19h    | 6h 45min | 80h |  |

#### **DUAL POWER**

6 x AA or built-in COAST ZITHION"











### CL20R

1750 Lumens | 60m Beam | IP54 | COAST ZITHION™ Rechargeable battery or AC Power



High I Low I Medium Wide Angle

 $1 \times \text{built-in COAST ZITHION}$ ™ Rechargeable battery AC with USB adapter USB Power Out

Display Box: 100045801





Rechargeable High Medium Lumens 1750 200 940 Beam Distance 60m 20m 43m Runtime 3h 45min 16h 6h 15min

#### **DUAL POWER** 6 x AA or built-in COAST ZITHION™









### CL40R

3900 Lumens | 87m Beam | IP54 | COAST ZITHION™ Rechargeable battery or AC Power



High I Low I Medium Wide Angle

1 × built-in COAST ZITHION™ Rechargeable battery AC with USB adapter USB Power Out

Display Box: 100045802





BATTERI Indicator USB POWER OUT AC WITH USB-C Adapter

| Rechargeable  | High     | Low  | Medium   |
|---------------|----------|------|----------|
| Lumens        | 3900     | 1190 | 2140     |
| Beam Distance | 87m      | 48m  | 64m      |
| Runtime       | 4h 45min | 16h  | 8h 45min |

**DUAL POWER** 

AC Power or built-in COAST ZITHION™







NEW! PM450

510 Lumens | 160m Beam | IP54  $3 \times AAA$  or  $1 \times ZITHION-X^{TM}$  Rechargeable



Medium | High | Low Twist Focus

Height: 3.2" | 8.1 cm Weight: 8.1 oz. | 231 g

3 × AAA batteries 1 × COAST ZITHION-X<sup>™</sup> Rechargeable battery upgrade available (battery sold separately)

Display Box: **100035255** 



#### ALKALINE-DUAL POWER 3× AAA Alkaline or COAST ZX350

| ANSI FL1 (AIK) | Medium   | High     | Low |
|----------------|----------|----------|-----|
| Lumens         | 300      | 510      | 130 |
| Beam Distance  | 123m     | 160m     | 80m |
| Runtime        | 5h 15min | 2h 45min | 9h  |

### NEW!

### **PM310**

1000 Lumens | 230m Beam | IP54  $6 \times AA$  or  $1 \times ZITHION-X^{™}$  Rechargeable



Medium | High | Low Twist Focus

Height: 3.8" | 9.65 cm Weight: 19.0 oz. | 539 g

 $6 \times AA$  batteries

1 × COAST ZITHION-X™ Rechargeable battery upgrade available (battery sold separately)

Display Box: 100035256



#### ALKALINE-DUAL POWER 3× AAA Alkaline or COAST ZX955

| ANSI FL1 (AIK) | Medium    | High     | Low |
|----------------|-----------|----------|-----|
| Lumens         | 540       | 1000     | 135 |
| Beam Distance  | 158m      | 230m     | 80m |
| Runtime        | 16h 30min | 7h 30min | 79h |

### NEW! PM200

500 Lumens | 195m Beam | IP54  $3 \times AA$  or  $1 \times ZITHION-X^{TM}$  Rechargeable



Medium | High | Low Twist Focus

Height: 5.3" | 13.5 cm Weight: 9.0 oz. | 260 g

3 × AA batteries 1 × COAST ZITHION-X™ Rechargeable battery upgrade available (battery sold separately)

Display Box: 100035257



### **ALKALINE-DUAL POWER** 6× AA Alkaline or COAST ZX600

| ANSI FL1 (AIK) | Medium | High     | Low |
|----------------|--------|----------|-----|
| Lumens         | 178    | 500      | 69  |
| Beam Distance  | 118m   | 195m     | 66m |
| Runtime        | 17h    | 7h 30min | 50h |

### NEW! PM300

1000 Lumens | 215m Beam | IP54  $6 \times AA$  or  $1 \times ZITHION-X^{™}$  Rechargeable



Medium | High | Low Twist Focus

Height: 6.3" | 16.0 cm Weight: 17.4 oz. | 496 g

 $6 \times AA$  batteries

1 × COAST ZITHION-X™ Rechargeable battery upgrade available (battery sold separately)

Display Box: 100028071

**ALKALINE-DUAL POWER** 6× AA Alkaline or COAST ZX955



| ANSI FL1 (Alk) | Medium | High | Low  |
|----------------|--------|------|------|
| Lumens         | 500    | 1000 | 54   |
| Beam Distance  | 158m   | 215m | 52m  |
| Runtime        | 17h    | 10h  | 110h |

### **WORK LIGHTS RECHARGEABLE BATTERIES**

ZITHION-X™ ZX955 RECHARGEABLE BATTERY



#### ZITHION-X™ ZX600 RECHARGEABLE BATTERY



#### ZITHION-X™ ZX350 RECHARGEABLE BATTERY









Blister: 100031261

ANSI FL1 Solid Red Flashing Red Turbo Flash Runtime 3h 30min

NEW! SL1R Safety light | 3 Modes | IPX4 | Rechargeable battery



Blister: 100033926







Blister: 100034252



# NEW! SPG400 Safety goggles with integrated LED beam




NEW! SPG500 Safety goggles with integrated LED beam











Height: 6.125" | 15.6 cm Weight: 10.4 oz. | 310 g

Foldable handle 5-year warranty


Run-time up to 38 hours

Display Box: 100013227



**EAL 17** 

460 Lumens |  $4 \times D$ 



Height: 9.9" | 25.2 cm Weight: 45.4 oz. | 1287 g

Foldable handle 5-year warranty

Display Box: 100013228





# STORM PROOF

EAL 13 330 Lumens | 3 × AA




Height: 6.2" | 15.8 cm Weight: 8.35 oz. | 273 g

Removable globe Foldable handle 5-year warranty



Removable Diffuser





Magnetic base

Hang it



#### Display Box: 100028070

| Globe         | High     | Medium | Low  |
|---------------|----------|--------|------|
| Lumens        | 330      | 180    | 20   |
| Beam Distance | 11m      | 8m     | 3m   |
| Runtime       | 4h 45min | 13h    | 120h |
|               |          |        |      |

With Diffuser High Medium Lumens 180 100 10 Beam Distance 10m 2m











### **KNIFE TEC**





### **LOCKING SYSTEMS** (continued)



The knife's liner doubles as a lock, providing a very easy to use, safe locking mechanism. Can be opened and closed with one hand.



FRAME-LOCK

The knife's frame doubles as a lock, providing a very easy to use, and safe locking system. Can be opened and closed with one hand.





The lock mechanism is located on the back of the knife. The spring is easy to access and easy to open and close.

#### **BLADE STEELS**

#### 9Cr18Mov | 7Cr17 | 4Cr14 | 3Cr13

Using only High-Carbon stainless steels, COAST blades are designed for hardness and durability. By treating the blades both with heat and severe cold (-320 degrees Fahrenheit / -195 degrees Celsius), the toughness is even further guaranteed. COAST does not simply use the same steels for all of the blades though. Each blade is carefully crafted to suit the intended uses.

Higher carbon grades of stainless steel are found in hunting and military blades for longer edge retention, while hardworking and everyday blades will sharpen more easily.









#### HANDLE MATERIALS

#### G10

Created by compressing a layer of fibrous materials with liquid resin under extreme pressure.

# NYLON WITH FIBERGLASS FILL

For a handle with a contoured shape, this is nearly indestructible and very lightweight.

#### **METAL**

Either aluminum or stainless steel, with a secure grip that comes from surface texturing.

#### NATURAL WOOD

Impregnated with highstrength resin under extreme pressure, makes it extremely durable and chemical resistant.



### **KNIVES**

 $3.75\ \text{in}\ /\ 9.5\ \text{cm}$  blade | 9Cr18Mov Stainless steel Rubberized handle / Nylon frame




**DX211** 1.2 in / 3.1 cm blade Nylon handle / Stainless steel frame



**BX311** 

3.0 in / 7.6 cm blade | 7Cr17Mov Stainless steel Rubberized handle/Nylon frame



**DX199** 1.2 in / 3.1 cm blade Nylon handle / Stainless steel frame



BX300

3.0 in / 7.6 cm blade | 9Cr18Mov Stainless steel Rubberized handle/Nylon frame



1.2 in / 3.1 cm blade **DX190** Nylon handle / Stainless steel frame **DOUBLE LOCK** Length: 7.0" | 17.8 cm Weight: 6.0 oz. | 170 g Blade storage in handle. E-Z replace blade Blade storage in handle Pocket clip Clam: 100019197

Includes three extra blades.



COAST TRUSTED TOUGH™

**DX357** 

4.5 in / 11.43 cm blade | 9Cr18Mov Stainless steel G10 handle / Stainless steel frame



**FX412** 

4.9 in / 12.4 cm blade | 7Cr17 Stainless steel Wood handle



**DX356** 

3.5 in / 8.9 cm blade | 9Cr18Mov Stainless steel G10 handle / Stainless steel frame



**FX200** 

3.4 in / 8.6 cm blade | 3Cr13 Stainless steel



**DX344** 

3.5 in / 8.9 cm blade | 3Cr13 Stainless steel Nylon handle / Stainless steel frame



**DX330** 

4.8 in / 12.2 cm blade | 7Cr17 Stainless steel Nylon handle / Stainless steel frame







**RX350** 

5.0 in / 12.7 cm blade | 7Cr17 Stainless steel Nylon handle



**TX399** 

5.0 in / 12.7 cm blade | 9Cr18Mov | Stainless steel Nylon handle



F1400 MACHETE

14 in / 35.5 cm blade | 3Cr13 Stainless steel | Nylon handle



**TX395** 

 $3.9\ \text{in}\ /\ 9.9\ \text{cm}$  blade | 9Cr18Mov | Stainless stee Nylon handle



### **SHARPENERS**

SP425

 $4.0\ \text{in}\ /\ 10.2\ \text{cm}\ \text{sharpener}$ 

400# & 600# Diamond grit surfaces | Nylon handle

Length: 9.0" | 22.9 cm
Weight: 2.1 oz. | 59.5 g
400# & 600# grit surfaces

Clam: 100027799

Not scaled to other sharpeners

**SP150** 

Medium diamond grit surface | Aluminum handle

Length: 8.0" | 20.3 cm Weight: 1.7 oz. | 48 g Partially round surface Flat surface Fish hook groove






### **MULTI-TOOL TECH**



#### **FUNCTION FEATURES**







All implements easily accessible, jaw does not need to be opened.

### SAFER. EASIER. MORE ENJOYABLE.

COAST's multi-tool technology is designed to make the user's safer, easier, and more enjoyable.

### **MULTI-TOOLS**

COAST.

### **LED155**

Pro Pocket Pliers | Spring-loaded pliers 3Cr13 Stainless steel | 2 × CR1616



#### **TOOLS**



#### **LED LIGHTS**

Length: 4.0" | 10.2 cm (closed) Blade: 3.0" | 7.6 cm Weight: 9.1 oz. | 258 g

Spring-loaded pliers head with wire cutter in jaw

Knife blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, saw blade, can opener

Sure-grip handle inlays Semi-rigid sheath 2 × CR1616 batteries

Clam: 100012455 Box: 100012456



## **LED145**

Pocket Pliers | Spring-loaded pliers 3Cr13 Stainless steel |  $2 \times CR1220$ 



#### **TOOLS**



#### **LED LIGHT**

Length: 3.9" | 9.9 cm (closed) Blade: 2.6" | 6.6 cm Weight: 8.6 oz. | 244 g Spring-loaded pliers head with wire cutter in jaw Knife blade, Phillips (1) and flathead (4) screwdriver tips, awl, bottle opener, wire stripper (in jaw), saw blade, can opener Sure-grip handle inlays Semi-rigid sheath  $2 \times CR1220$  batteries

Clam: 100011287 100011214 Box:



**LED150** 

Pro Pocket Pliers | Spring-loaded pliers 3Cr13 Stainless steel | 2 × CR1616



#### **TOOLS**




#### **LED LIGHTS**

Length: 4.0" | 10.2 cm (closed) Blade: 3.0" | 7.6 cm Weight: 9.1 oz. | 258 g

Spring-loaded pliers head with wire cutter in jaw

Knife blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, saw blade, can opener Sure-grip handle inlays Semi-rigid sheath 2 × CR1616 hatteries

Clam: 100011041 100011040 Box:



**LED140** 

Pocket Pliers | Spring-loaded pliers 3Cr13 Stainless steel | 2 x CR1220



#### **TOOLS**



#### **LED LIGHT**

Length: 3.9" | 9.9 cm (closed) Blade: 2.6" | 6.6 cm Weight: 8.6 oz. I 244 g

Spring-loaded pliers head with

wire cutter in jaw

Knife blade, Phillips (1) and flathead (4) screwdriver tips, awl, bottle opener, wire stripper (in jaw), saw blade, can opener Sure-grip handle inlays Semi-rigid sheath 2 × CR1220 batteries

Clam: 100011285 Box 100011042





**LED135** Micro Pliers | Spring-loaded pliers 3Cr13 Stainless steel | 2 × CR927



#### **TOOLS**



#### **LED LIGHT**

Length: 3.0" | 7.6 cm (closed) Blade: 2.0" | 5.1 cm Weight: 4.3 oz. | 122 g

Spring-loaded pliers head with

wire cutter

Knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can opener, plus keyring (foldable) Sure-grip handle inlays 2 × CR927 batteries

Clam: 100011289 100011215 Box:



**LED130** Micro Pliers | Spring-loaded pliers 3Cr13 Stainless steel | 2 × CR927



#### **TOOLS**



#### **LED LIGHT**

Length: 3.0" | 7.6 cm (closed) Blade: 2.0" | 5.1 cm Weight: 4.3 oz. | 122 g

Spring-loaded pliers head with

wire cutter

Knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail pick, can opener, plus keyring (foldable) Sure-grip handle inlays 2 × CR927 batteries

Clam: 100011288 100011216 Box:









### **DISPLAYS & SIGNAGE**

#### **POWER PANEL**

122cm H x 38cm W x 15cm D (base = 42cm D)



#### 9-SLOT FLOOR MERCHANDISER

114cm H x 53cm W x 42,22cm D



Product not included

#### FREE STANDING SIDEKICK DISPLAY

147cm H x 38cm W x 7,62cm D




**Special Order** Product not included

#### FLOOR DISPLAY BLACK/ WHITE WITH 20 HOOKS



Product not included

### **UNIVERSAL FLOOR DISPLAY INCL. 3X COUNTER TOP DISPLAY**



#### **UNIVERSAL FLOOR DISPLAY FOR 3 COUNTER TOP DISPLAY**



#### **COUNTER TOP DISPLAY**



#### **COUNTER DISPLAY BLACK/WHITE** WITH 6 HOOKS



#### **CARDBOARD COUNTER DISPLAY**

33,65cm H x 30,5 W x 30,5cm D

Item: 100035269



Product not included

#### **WIRE COUNTER DISPLAY**

Item: 100013213



Product not included

#### PS200/FL13/G24 "YOUR CHOICE" **36PC QUARTER PALLET DISPLAY**

132cm H x 53cm W x 55,8cm D



#### Product not included

#### PS400/FL19/G32 "YOUR CHOICE" **36PC QUARTER PALLET DISPLAY**

132cm H x 53cm W x 55,8cm D



Product not included



#### **END CAP SIGNS**

60cm W x 30cm H, inc. magnetic brackets

Item: 100035272

122cm W x 30cm H, inc. magnetic brackets

Item: 100035273



#### **VIDEO BLADE**

47,5cm W x 17,8cm H

Item: 100028294



#### ACRYLIC DISPLAY FOR HEADLAMP

49,5cm H x 30,5cm W x 30,5cm D




#### **DISPLAY FOR FLASHLIGHTS** WITH SAFETY WIRE



#### **WALLPAPER**

122cm W x 152cm H

Item: 100035274



#### FLOOR DISPLAY WITH LIGHT



Product not included

#### TRY ME DISPLAY

23cm W x 19cm T x 19cm D



**Rechargeable Graphic** 

Item: 100026488

**Polysteel Graphic** 

Item: 100026489

**Handheld Pure Beam Graphic** 

Item: 100026490

**Headlamp Pure Beam Graphic** 

Item: 100035275

**Blade Assist Graphic** 

Item: 100035276

#### 2-SIDED ACRYLIC DISPLAY

49,5cm H x 30,5cm W x 30,5cm D



#### **METAL FLASHLIGHT STAND**

5,40cm H x 10,8cm W x 6,6cm D

Item: 100035277

#### **METAL KNIFE STAND**

Product not included

5,40cm H x 10,8cm W x 6,6cm D


Item: 100035278



#### **COAST HAT**

One size fits most.







# LAKUDA



#### **DENMARK - HEADQUARTERS**

Spettrupvej 1-3 • 8722 Hedensted • CVR: 25628829 Sales@lakuda.dk • www.lakuda.dk Tel. 76 40 70 10



#### **SWEDEN**

Genvägen 1 • 231 62 Trelleborg • Org. No. 516411-4901 Sales@lakuda.se • www.lakuda.se Tel. 734 488 100 or +45 76 40 70 10



#### **NORWAY**

Postboks 19 • 4855 Froland • Org. No. 913 439 279 Sales@lakuda.no • www.lakuda.no Tel. +45 76 40 70 10



#### **FINLAND**

Teollisuustie 9 • 04300 Tuusula • Org. No. 2927997-3 Sales@lakuda.fi • www.lakuda.fi Tel. +358 451 474 207 or +45 76 40 70 10







#### **GERMANY**

#### **AUSTRIA**

**SWITZERLAND** 

c/o Andersen Partners Business Center Alsterarkaden 13 D- 20354 Hamburg • info@lakuda.de • www.lakuda.de

Tel.: +49 3222 109 8014